

Proefschriften, artikelen & abstracts

20 jaar onderzoek naar de ziekte van Rendu-Osler-Weber

ZIEKENHUIS ST ANTONIUS



UMC Utrecht

Afd. klinisch genetica



Leids Universitair
Medisch Centrum

Afd. Moleculaire cel biologie en afd. anatomie en embryologie











Harteraad
voor mensen
met hart- en
vaataandoeningen










ZonMw


Proefschriften











Hereditary Haemorrhagic Telangiectasia

Novel cardiopulmonary insights

VERONIQUE VORSELAARS

SWORO / Kees Westermann Fonds Publicaties

- 2018 Andrejcsk JW, Hosman AE, Botella LM, Shovlin CL, Arthur HM, Dupuis-Girod S, Buscarini E, Hughes CCW, Lebrin F, Mummery CL, Post MC, and Mager JJ. Executive summary of the 12th HHT international scientific conference. *Angiogenesis* 2018; 21(1):169-181.
- Vorselaars VMM, Velthuis S, Huitema MP, Hosman AE, Westermann CJJ, Snijder RJ, Mager JJ, Post MC. Reproducibility of right-to-left shunt quantification using transthoracic contrast echocardiography in hereditary haemorrhagic telangiectasia. *Neth Heart J*. 2018 Apr;26(4):203-209.
- Kroon S, Snijder RJ, Faughnan ME, Mager HJ. Systematic screening in hereditary hemorrhagic telangiectasia: a review. *Curr Opin Pulm Med*. 2018 May;24(3):260-268.
- Vorselaars VMM, Hosman AE, Westermann CJJ, Snijder RJ, Mager JJ, Goumans MJ, Post MC. Pulmonary Arterial Hypertension and Hereditary Haemorrhagic Telangiectasia. *Int J Mol Sci*. 2018 Oct 17;19(10).
- 2017 Hosman AE, de Gussem EM, Balemans WA, Gauthier A, Westermann CJ, Snijder RJ, Post MC and Mager JJ. Screening children for pulmonary arteriovenous malformations: Evaluation of 18 years of experience. *Pediatric Pulmonology* 2017; 52(9):1206-1211.
- Vorselaars VMM, Diederik A, Prabhudesai V, Velthuis S, Vos JA, Snijder RJ, Westermann CJJ, Mulder BJ, Ploos van Amstel JK, Mager JJ, Faughnan ME, Post MC. SMAD4 gene mutation increases the risk of aortic dilation in patients with hereditary haemorrhagic telangiectasia. *Int J Cardiol*. 2017 Oct 15;245:114-118.
- Hosman AE, de Gussem EM, Balemans WAF, Gauthier A, Westermann CJJ, Snijder RJ, Post MC, Mager JJ. Screening children for pulmonary arteriovenous malformations: Evaluation of 18 years of experience. *Pediatr Pulmonol*. 2017 Sep;52(9):1206-1211.
- 2016 Vorselaars VM, Velthuis S, Snijder RJ, Westermann CJ, Vos JA, Mager JJ, Post MC; Follow-up of pulmonary right-to-left shunt in hereditary haemorrhagic telangiectasia. *Eur Respir J*. 2016 Jun;47(6):1750-7
- de Gussem EM, Edwards CP, Hosman AE, Westermann CJ, Snijder RJ, Faughnan ME, Mager JJ; Life expectancy of parents with Hereditary Haemorrhagic Telangiectasia; *Orphanet J Rare Dis*. 2016 Apr 22;11:46
- Gkatzis K, Thalgott J, Dos-Santos-Luis D, Martin S, Lamandé N, Carette MF, Disch F, Snijder RJ, Westermann CJ, Mager JJ, Oh SP, Miquerol L, Arthur HM, Mummery CL, Lebrin F; Interaction Between ALK1 Signaling and Connexin40 in the Development of Arteriovenous Malformations; *Arterioscler Thromb Vasc Biol*. 2016 Apr;36(4):707-17

- Vorselaars VM, Velthuis S, Snijder RJ, Mager JJ, Post MC; Thoracic aorta dilation in patients with hereditary hemorrhagic telangiectasia due to SMAD4 gene mutation; *Am J Med Genet A*. 2016 Mar;170(3):811-2
- 2015 Hosman A, Westermann CJ, Snijder R, Disch F, Mummery CL, Mager JJ; Follow-up of Thalidomide treatment in patients with Hereditary Haemorrhagic Telangiectasia. *Rhinology*. 2015 Dec;53(4):340-4
- Vorselaars VM, Velthuis S, Snijder RJ, Vos JA, Mager JJ, Post MC; Pulmonary hypertension in hereditary haemorrhagic telangiectasia; *World J Cardiol*. 2015 May 26;7(5):230-7.
- Vorselaars VM, Velthuis S, Swaans MJ, Mager JJ, Snijder RJ, Rensing BJ, Boersma LV, Post MC; Percutaneous left atrial appendage closure-An alternative strategy for anticoagulation in atrial fibrillation and hereditary hemorrhagic telangiectasia?; *Cardiovasc Diagn Ther*. 2015 Feb;5(1):49-53.
- Velthuis S, Vorselaars VM, Westermann CJ, Snijder RJ, Mager JJ, Post MC; Pulmonary shunt fraction measurement compared to contrast echocardiography in hereditary haemorrhagic telangiectasia patients: time to abandon the 100% oxygen method?; *Respiration*. 2015;89(2):112-8
- 2014 Liu Z, Lebrin F, Maring JA, van den Driesche S, van der Brink S, van Dinther M, Thorikay M, Martin S, Kobayashi K, Hawinkels LJ, van Meeteren LA, Pardali E, Korving J3, Letarte M, Arthur HM, Theuer C, Goumans MJ, Mummery C, ten Dijke P; Endoglin is dispensable for vasculogenesis, but required for vascular endothelial Growth factor-induced angiogenesis; *PLoS One* 2014 Jan 28
- De Gussem EM, Lausman AJ, Beder AJ, Edwards CP, Blanker MH, Terbrugge KG, Mager JJ, Faughnan ME; Outcomes of pregnancy in women with Hereditary Haemorrhagic Telangiectasia; *Obstet Gynecol*. 2014; 123: 514-20
- Kawasaki K, Westermann CJJ, Akhurst RJ; Genetic variants of Adam 17 differentially regulate TGFB signalling to modify vascular pathology in mice and humans; *PNAS* 2014
- Vorselaars VMM, Velthuis S, Mager JJ, Snijder RJ, Bos W, Strijen MJL, Post MC; Direct haemodynamic effects of pulmonary arteriovenous malformations; *Neth Heart Journal* 2014
- Merkus D; Editorial: Pulmonary arteriovenous malformations: haemodynamics and shunt closure; *Neth Heart Journal* 2014; 22: 326-7
- Velthuis S, Buscarini E, Mager JJ, Vorselaars VMM, van Gent MWF, Gazzaniga P, Manfredi G, Danesino C, Diederik AL, Vos JA, Gandolfi S, Snijder RJ, Westermann CJJ, Post MC; Predicting the size of pulmonary arteriovenous malformations on chest

- computed tomography: a role for transthoracic contrast echocardiography; *Europ. Resp J.* 2014
- 2013 Velthuis S, Buscarini E, van Gent MW, Gazzaniga P, Manfredi G, Danesino C, Schonewille WJ, Westermann CJ, Snijder RJ, Mager JJ, Post MC; Grade of pulmonary right-to-left shunt on contrast echocardiography and cerebral complications: a striking association. *CHEST* 2013; 144:542-8
- Velthuis S, Vorselaars VM, van Gent MW, Westermann CJ, Snijder RJ, Mager JJ, Post MC; Role of transthoracic contrast echocardiography in the clinical diagnosis of hereditary haemorrhagic telangiectasia; *Chest* 2013; 144: 1876-82.
- Van der Meer AD, Orlova VV, ten Dijke P, van den Berg A, Mummery CL; Three-peptides inside a microfluidic device; *Lab Chip* 2013; 13: 3562-8
- Gent MWF van, Velthuis S, Post MC, Snijder RJ, Westermann CJ, Letteboer TGW, Mager JJ; Hereditary Haemorrhagic Telangiectasia. How accurate are the clinical criteria? *Am J Med Genet* 2013 part A; 161: 461-6
- Velthuis S, Vorselaars VMM, van Gent MWF, Westermann CJ, Snijder RJ, Mager JJ, Post MC; The role of transthoracic echocardiography in the clinical diagnosis of hereditary haemorrhagic telangiectasia. *European Heart Journal* 2013; 34(supp. 1): 677-678
- Boshuisen K, Brundel M, de Kovel CG, Lettebier TGW, Rinkel GJ, Westermann CJ, Kim H, Pawlikowska L, Koeleman BP, Klijn CJ; Polymorphisms in ACVRL1 and endoglin genes are not associated with sporadic and HHT-related brain AVMs in Dutch patients; *Transl Stroke Res.* 2013; 4(3): 375-8
- 2012 Benzinou M, Clermont FF, Letteboer TGW, Kim JH, Espejel S, Harradine KA, Arbelaez J, Luu MT, Roy R, Quigley D, Higgins MN, Zaid M, Aouizerat BE, Ploos van Amstel JK, Giraud S, Dupuis-Girod S, Lesca G, Plauchu H, Hughes CC, Westermann CJ, Akhurst RJ; Mouse and human strategies identify PTPN14 as a modifier of angiogenesis and hereditary haemorrhagic telangiectasia. *Nat Commun.* 2012; 3: 616-
- Velthuis S, Swaans MJ, Mager JJ, Rensing BWJM, Boersma LVA, Post MC; Left atrial appendage closure for stroke prevention in patients with atrial fibrillation and hereditary haemorrhagic telangiectasia; *Case reports in Cardiology* 2012, article ID 646505
- 2011 Faughnan ME, Palda VA, Garcia-Tsao G, Geisthoff UW, McDonald J, Proctor DD, Spears J, Brown DH, Buscarini E, Chesnutt MS, Cottin V, Ganguly A, Gossage JR, Guttmacher AE, Hyland RH, Kennedy SJ, Korzenik J, Mager JJ, Ozanne AP, Piccirillo JF, Picus D, Plauchu H, Porteous ME, Pyeritz RE, Ross DA, Sabba C, Swanson K, Terry P, Wallace MC, Westermann CJ, White RI, Young LH, Zarrabeitia R; HHT Foundation International - Guidelines Working Group. International guidelines for the diagnosis

and management of hereditary haemorrhagic telangiectasia. *J Med Genet.* 2011 Feb;48(2):73-87.

Gent van MWF, Mager JJ, Snijder RJ, Westermann CJJ, Plokker HWM, Schonewille WJ, Thijs V, Post MC; Relation between migraine and size of echocardiographic intrapulmonary right-to-left shunt; *Am J Cardiol* 2011; 107: 1399-1404

Benzinou M, Clermont FF, Letteboer TGW, Jai-Hyun K, et al; PTPN14 identified as a modifier of angiogenesis and hereditary haemorrhagic Telangiectasia by genomic selection in *Tgfb+/-* mice; *Nature Communications: NCOMMS-11-01739A*

Gent van MWF, Post MC, Snijder RJ, Westermann CJJ, Mager JJ; Diagnostic accuracy of transthoracic contrast echocardiography as a screening method for pulmonary arteriovenous malformations. *Eur. Heart Journal* 2011; 32: 115-6

2010 van Helden MH, van Gent MWF, Westermann CJJ, Snijder RJ, Plokker HWM, Mager JJ, Post MC; Activin receptor-like kinase-1 and endoglin are not related with pulmonary hypertension in hereditary haemorrhagic telangiectasia; *European Heart Journal* 2010; 18 : 22

Luermans JGLM, Gent van MWF, Westermann CJJ, Plokker HWM, Budts W, Post MC; Strong association between right-to-left shunt and migraine; *Neth. Heart J* 2010; 18: 274-6

Gent van MWF, Helden HAM van, Mager JJ, Post MC; The relation between intrapulmonary right-to-left shunt and migraine: a review; *Annals Resp Med* 2010.

Westermann CJJ, Kitonyi GW, Letteboer TGW; Is hereditary haemorrhagic telangiectasia rare in the Negroid race? The first sub-saharan mutation; *Haemophilia* 2010; accepted for publication

Gallione C, Aylsworth AS, Beis J, Berk T, Ploos van Amstel HK, ..., Marchuk DA; Overlapping spectra of SMAD4 mutations in juvenile polyposis(JP) and JP-HHT syndrome; *Am J Med Genet* 2010; 152A; 333-9

Post S, Smits AM, van den Broek AJ, Sluiter JP, Hoefler IE, Janssen BJ, Snijder RJ, Mager JJ, Pasterkamp G, Mummery CL, Doevendans PA, Goumans MJ; Impaired recruitment of HHT-1 mononuclear cells to the ischaemic heart is due to an altered CXCR4/CD26 balance; *Cardiovasc. Res* 2010; 85: 494-502

Lebrin F, Srun S, Raymond K, Martin S, van den Brink S, Freitas C, Breant C, Mathivet T, Larrivee B, Thomas JL, Arthur HM, Westermann CJJ, Disch F, Mager JJ, Snijder RJ, Eichmann J, Mummery CL; Thalidomide stimulates vessel maturation and reduces epistaxis in individuals with hereditary haemorrhagic telangiectasia; *Nat Med* 2010; 16: 420-8

Freund C, Davis RP, Gkatzis K, Ward-van Oostwaard D, Mummery CL; The first reported generation of human induced pluripotent stem cells (iPS) and iPS cell-derived cardiomyocytes in the Netherlands; *Neth Heart J* 2010; 18: 51-4

Van Gent MWF, Post MC, Snijder RJ, Westermann CJJ, Plokker HW, Mager JJ; Real prevalence of pulmonary right to left shunt according to genotype in patients hereditary haemorrhagic telangiectasia: a transthoracic contrast echo-Cardiography study; *Chest* 2010; 138:833-839

Post S, Smits AM, Broek AJ van den, Sluijter JPG, Hofer IE, Janssen BJ, Snijder RJ, Mager JJ, Pasterkamp G, Mummery CL, Doevendans PA, Goumans MJ; Impaired recruitment of HHT-1 mononuclear cells to the ischaemic heart is due to an altered CXCR4/CD26 balance; *Cardiovasc Research* 2010; 85:494-502

2009 Braak SJ, Witt CA de, Disch FJM, Overtoom TThC, Westermann JJ; Percutaneous embolization on hereditary haemorrhagic telangiectasia patients with severe epistaxis; *Rhinology* 2009; 47: 166-71

Post MC, Gent MWF van, Plokker HWM, Westermann CJJ, Kelder JC, Mager JJ, Overtoom TT, Schonewille WJ, Thijs V, Snijder RJ; Pulmonary arteriovenous malformations associated with migraine with aura; *Eur Respir J* 2009; 34: 882- 7

Westermann CJ, Mager JJ, Mauser HW, Overtoom TT; Stroke following pulmonary arteriovenous fistula embolization in a patient with HHT; *Neurology* 2009; 73: 1427

Gussem EM de, Snijder RJ, Disch FJ, Zanen P, Westermann CJJ, Mager JJ; The effect of N-acetylcysteine on epistaxis and quality of life in patients with HHT: a pilot study; *Rhinology* 2009; 47: 85-8

Gent MWF van, Post MC, Luermans JGLM, Snijder RJ, Westermann CJJ, Plokker HWM, Overtoom TT, Mager JJ; Screening for pulmonary arteriovenous malformations using transthoracic; Contrast echography: a prospective study; *Eur Respir J* 2009; 33: 85-91

Faughnan ME, Palda VA, Garcia-Tsao G, Geisthof UW, Mc Donald J, Proctor DD, Spears J, Brown DH, Buscarini E, Chestnutt MS, Cottin V, Ganguly A, Gossage JR, Guttmacher AE, Hyland RH, Kennedy SJ, Korzenik J, Mager JJ, Ozanne AP, Piccirillo JF, Picus D, Plauchu H, porteous ME, Pyeritz ME, Ross Da, Sabba C, Swanson K, Terry P, Wallace MC, Westermann CJ, White RI, Young LH, Zarrabeita R; International guidelines for the diagnosis and management of hereditary haemorrhagic telangiectasia; *J Med Genet* 2009; June 29

Gent MWF van, Post MC, Snijder RJ, Swaans MJ, Plokker HWM, Westermann CJJ, Overtoom TT, Mager JJ; Grading of pulmonary right to left shunt with transthoracic contrast echocardiography; *Chest* 2009; 135: 1288-92

Post MC et al. Pulmonary arteriovenous malformations and migraine : a new vision *Respiration* 2008; 76: 228-33

- Letteboer TGW, Mager JJ, Snijder Rj, Lindhout D, Ploos van Amstel HK, Zanen P, Westermann CJJ; Genotype-phenotype relationship for localization and age distribution of telangiectases in hereditary haemorrhagic telangiectasia; *Am J Med Genet* 2008; 146A: 2733-9
- Lebrin F, Mummery CL; Endoglin mediated vascular remodelling: mechanisms underlying HHT; *Trends Cardiovasc Med* 2008; 18: 25-32
- 2007 Tuyl SAC van, Letteboer TGW, Rogge-Wolf C, Kuipers EJ, Snijder RJ, Westermann CJJ, Stolk MF; Assessment of intestinal vascular malformations in patients with HHT and anemia; *Eur. J Gastroenterol&Hepatol* 2007; 19(2): 153-8
- Post MC, Budts W, Westermann CJJ; Cardiac and pulmonary R-L shunts and migraine In: *Migraine Disorder Research Trends*, chapt 13; 2007 Nova Science Publ.
- 2006 Post MC, Thijs V, Schoonewille WJ, Budts W, Snijder RJ, Plokker Th. Westermann CJJ; Embolization of pulmonary arteriovenous malformations and decrease in prevalence of migraine ; *Neurology* 2006;66:202-5.
- Letteboer TGW, Mager JJ, Snijder RJ, Koeleman BPC, Lindhout D, Ploos van Amstel JK, Westermann CJJ; Genotype-phenotype relationship in hereditary hemorrhagic telangiectasis; *J Med Gen* 2006;43:371-377
- Gallione CJ, Richards JA, Letteboer TGW, Wushlow D, Prigoda NL, Leedan TP, Ganguly A, Castells A, Ploos van Amstel JK, Westermann CJJ, Pyerits RE, Marchuk DA; SMAD4 Mutations Found in Unselected HHT Patients; *J Med Genet* 2006; 43 (10): 793-7
- Laake LW van, Driesche S van der, Post S, Feijen A, Jansen MA, Driessens MH, Mager JJ, Snijder RJ, Westermann CJJ, Doevendans PA, Echteld CJA, Dijke P ten, Arthur MH, Goumans MJ, Lebrin F, Mummery CL; Endoglin has a crucial role in blood cell-mediated vascular repair; *Circulation* 2006; 114 (21): 2288-97
- 2005 Letteboer TGW, Zewald RA, Kamping EJ, de Haas G, Mager JJ, Snijder RJ, Lindhout D, Hennekam FA, Westermann CJJ, Ploos van Amstel JK; Hereditary hemorrhagic telangiectasia: ENG and ALK-1 mutations in Dutch patients; *Hum Genet* 2005; 116: 8-16
- ost MC, Letteboer TGW, Mager JJ, Kelder JC, Westermann CJJ; A pulmonary right to left shunt in patients with hereditary haemorrhagic telangiectasia is associated with an increased prevalence of migraine; *Chest* 2005; 128: 2485-9
- 2004 Carvalho R; TGF B, endoglin and vascular development in mice; Thesis Utrecht 2004; Dec.14

- Gallione CJ, Repetto GM, Legius E, Rustgi AK, Schelley SL, Tejpar S, Mitchell G, Drovín E, Westermann CJJ, Marchuk DA; A combined syndrome of juvenile polyposis and hereditary haemorrhagic telangiectasia associated with mutations in MADH4 (SMAD4); 2004; 363: 852-9
- Mager JJ, Overtoom TThC, Blauw H, Lammers JWJ, Westermann CJJ; Embolotherapy of pulmonary arteriovenous malformations: long-term; results in 112 patients.; J Vasc Interv Radiol 2004; 15: 451-6
- 2003 Westermann CJJ, Rosina AF, Vries V de, Coteau PA de; The prevalence and manifestations of hereditary haemorrhagic telangiectasia in the Afro-Caribbean population of the Netherlands Antilles: a family screening; Am J Med Gen 2003; 116A: 324-8
- Westermann CJJ; De ziekte van Rendu Osler Weber: diagnose, genotype-fenotype; Ned Tijdschr Geneesk 2003; 147: 442
- Mager JJ; Pulmonale arterioveneuze malformaties: diagnose, complicaties, behandeling; Ned Tijdschr. Geneesk 2003; 147: 442-3
- Driesche S van der, Mummery CI, Westermann CJJ; Hereditary haemorrhagic telangiectasia: an update on transforming growth factor B signalling in vasculogenesis and angiogenesis; Cardiovasc research 2003; 58: 20-31
- Westermann CJJ, rosina AF, Vries V de, Mager JJ; Hoge prevalentie van de ziekte van Rendu Osler Weber in de Afro-Caribische bevolking van de Nederlandse Antillen; Ned tijdschr Geneesk 2003; 147: 1595-1600
- Mager JJ; De ziekte van Rendu-Osler-Weber: klinische aspecten; Cordiaal 2003; 24: 32-35
- 2002 Mager JJ, Zanen P, Verzijlbergen F, Westermann CJJ, Haitjema T, Herk G van, Lammers WJW; Quantification of right-to-left shunt with 99m TC-labelled albumen macroaggregates and 100% oxygen in patients with hereditary haemorrhagic telangiectasia; Clinical Science 2002; 102: 102-134
- Willemse RB, Westermann CJJ, Top WP van der; Cerebrovasculaire malformaties bij hereditaire hemorrhagische teleangiectasieën; Ned Tijdschr Neurologie 2002; 6: 472-6
- Koppen S, Korver CRW, Dalinghaus M, Westermann CJJ; Neonatal pulmonary arteriovenous malformation in hereditary haemorrhagic telangiectasia.; Arch Dis Child Fetal Neonatal Ed 2002; F 226-7
- 2001 Mager JJ, Overtoom TThC, Mauser HW, Westermann CJJ; Early cerebral infarction after embolotherapy of a pulmonary arteriovenous malformation; JVIR 2001; 12: 122-3

- Mager JJ, Schutgens REG, Haas FJLM, Westermann CJJ; The early course of D-dimer concentration following pulmonary artery embolization; *Thromb Haemost* 2001; 86: 1578-9
- 2000 Gallione CJ, Scheessele EA, Reinhardt D, Duits AJ, Berg JN, Westermann CJJ, Marchuk DA; Two common endoglin mutations in families with hereditary haemorrhagic telangiectasia in the Netherlands Antilles: evidence for a founder effect; *Hum Genet* 2000; 197: 40-4
- Mager JJ, Westermann CJJ; Value of capillary microscopy in the diagnosis of hereditary haemorrhagic telangiectasia; *Arch dermatol* 2000; 136: 732-4
- Shovlin CL, Guttmacher AE, Buscarini E, Faughnan M, Hyland RA, Westermann CJJ, Kjeldsen AD, Plauchu H; Diagnostic criteria for hereditary haemorrhagic telangiectasia (Rendu Osler Weber syndrome); *Am J Med Genet* 2000; 91: 66-7
- Willemse RB, Mager JJ, Westermann CJJ, Overtom TThC, Mauser H, Wolbers JG; Bleeding risk of cerebrovascular malformations in hereditary haemorrhagic telangiectasia; *J Neurosurg* 2000; 92: 779-84
- Westermann CJJ, Mager JJ; Osler-Weber-Rendu disease with liver involvement; *Organe de la Societe Royale Belge de Radiologie* 2000; 83: 73
- 1999 Mager JJ, Mauser HW, Westermann CJJ; Intracraniele arterioveneuze malformaties bij zwangere vrouwen; *Ned Tijdschr Geneesk* 1999; 143: 1116
- Westermann CJJ, Mager JJ; M. Osler-Weber-Rendu with liver involvement.; *Journal Belge de Radiologie* 1999; 82:
- 1998 Gallione CJ, Klaus DJ, Yeh EY, Stenzel TT, Xue Y, Anthony KB, Mc Allister KA, Baldwin MA, Berg JN, Lux A, Smith JD, Vary CP, Craigen WJ, Westermann CJJ, Warner ML, Miller YE, Jackson EC, Guttmacher AE, Marchuk DA; Mutation and expression analysis of the endoglin gene in hereditary haemorrhagic telangiectasia reveals null alleles; *Hum Mutat* 1998; 11:286-94
- 1996 Haitjema T, Balder W, Disch FJM, Westermann CJJ; Epistaxis in hereditary haemorrhagic telangiectasia; *Rhinology* 1996; 34: 176-8
- Haitjema T, Westermann CJJ, Overtom TThC, Timmer R, Disch FJM, Mauser HW, Lammers JWJ; Hereditary haemorrhagic telangiectasia (Osler Weber Rendu syndrome). New insights in pathogenesis, complications and treatment.; *Arch Intern Med* 1996; 156: 714-9
- Haitjema T, Berg JM ten, Overtom TThC, Ernst JPMG, Westermann CJJ; Unusual complications after embolisation of a pulmonary arteriovenous Malformation; *Chest* 1996; 109: 1401-4

Haitjema T, Snippenburg R van, Disch FJM, Overtoom TThC, Westermann CJJ; Recidiverende epistaxis: soms de ziekte van Rendu Osler Weber; Ned tijdschr Geneeskd 1996; 140: 2157-60

Haitjema T, Westermann CJJ, Overtoom TThC; Letter to the editor; Arch Intern Med 1996; 15

Abstracts

2018 Hosman AE, de Gussem EM, Balemans W, Gauthier A, Westermann CJJ, Snijder RJ, Post M, Mager JJ. Screening children for pulmonary arteriovenous malformations: evaluation of 18 years of experience *Angiogenesis* (2018) 21:111–167.

Vorselaars VM, Diederik A, Prabhudesai, Velthuis S, Vos J-A, Snijder R, Westermann C, Mulder B, Ploos van Amstel J, Mager JM, Faughnan M, Post M. SMAD4 gene mutation increases the risk of aortic dilation in patients with hereditary haemorrhagic telangiectasia. *Angiogenesis* (2018) 21:111–167.

Hosman AE, de Gussem EM, R Snijder, Mager JJ. Improved life expectancy when screened for pulmonary arteriovenous malformations pre-emptively. *Angiogenesis* (2018) 21:111–167.

Lebrin F, Thalgott J, Dos-Santos-Luis D, Hosman AE, Martin S, Bracquart D, Srun S, Lamandó N, Carette MF, Oh SP, Westermann CJ, Snijder RJ, Mager JJ, Mummery CL, Rabelink TJ, Raymond K. Decreased expression of VEGFR1 contributes to the pathogenesis of Hereditary Hemorrhagic Telangiectasia type 2. *Angiogenesis* (2018) 21:111–167.

Orlova VV, Cao X, Freund C., Sánchez-Duffhues, G, Hawinkels L, Petrus-Reurer S, van den Hil FE, Disch F, Snijder RJ, Westermann, CJJ, Mager JJ, ten Dijke P, Ploos van Amstel, JK, Mummery, CL. Isogenic induced pluripotent stem cells (iPSCs) derived from mosaic hereditary hemorrhagic telangiectasia type 1 (HHT1) patient. *Angiogenesis* (2018) 21:111–167.

Vorselaars VMM, Velthuis S, Buscarini E, Gazzaniga P, Snijder RJ, Mager JJ, Post MC. Age penetrance of pulmonary right-to-left shunt in patients with hereditary haemorrhagic telangiectasia. *Angiogenesis* (2018) 21:111–167.

Vorselaars V, Velthuis S, Huitema M, Hosman A, Westermann C, Snijder R, Mager J, Post M. Reproducibility of right-to-left shunt quantification using transthoracic contrast echocardiography in hereditary haemorrhagic telangiectasia. *Angiogenesis* (2018) 21:111–167.

2015 Vorselaars VMM, Velthuis S, Snijder RJ, Westermann CJJ, Vos JA, Mager JJ, Post MC; Follow-up of the pulmonary right-to-left shunt with transthoracic contrast echocardiography in hereditary haemorrhagic telangiectasia; *Angiogenesis* (2015) 18:537

Vorselaars VMM, Velthuis S, van Gent MWF, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; prevalence of pulmonary hypertension in a large cohort of patients with hereditary hemorrhagic telangiectasia; *Angiogenesis* (2015) 18:555

Vorselaars VMM, Vos JA, Velthuis S, van Gent MWF, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Aortic dilation in patients with hereditary haemorrhagic telangiectasia and a SMAD4 gene mutation; *Angiogenesis* (2015) 18:570

Diederik A, van den Heuvel D, Mager JJ, Kelder H, Snijder RJ, Vos JA; perfusion after PAVM embolization; *Angiogenesis* (2015) 18:547

Diederik A, van den Heuvel D, Mager JJ, Kelder H, Snijder RJ, Vos JA; preliminary results of the pirana trial; *Angiogenesis* (2015) 18:584

2013 Diederik AL, Mager JJ, van den Heuvel DAF, Snijder R, Vos JA. Recanalisation after pulmonary arteriovenous malformation(PAVM) embolization. *Hematology Reports* 2013; 5 (suppl. 1):58

Diederik AL, Mager JJ, van den Heuvel DAF, van Strijen MJL, Snijder R, Vos JA; Preliminary results of the PIRANHA trial; *Hematology Reports* 2013; 5 (suppl. 1): 58-59

Gauthier A, Diederik AL, Westermann CJJ, Snijder R, Mager JJ; Children screening for PAVM: 15 years follow-up in the Netherlands; *Hematology Reports* 2013; 5 (suppl. 1): 43-44

Gkatzis K, Orlova V, Freud C, ten Dijke P, Disch F, Westermann K, Mager HJ, Mummery CL; Endothelial cells derived from HHT 1 patient specific induced pluripotent cells (IPSCS) show reduced endoglin(ENG) protein levels and altered down stream signalling. *Hematology Reports* 2013; 5 (suppl. 1): 67

Letteboer TGW, Mager JJ, Snijder R, van Erkel AJM, Westermann CJJ, Ploos van Amstel JK; Molecular and genetic heterogeneity in HHT: the results of 12 year of DNA diagnostics in the Netherlands; *Hematology Reports* 2013; 5 (supp.1):53-54

Orlova V, Freud C, Gkatzis K, Drabsch Y, van den Hil L, Disch F, Mager JJ, Snijder R, Westermann K, ten Dijke P, Mummery CL; Modeling hereditary haemorrhagic telangiectasia (HHT) with patient specific induced pluripotent stem cells (IPSCS); *Reports* 2013; 5 (suppl. 1): 4-5

Velthuis S, Buscarini E, van Gent MWF, Gazzaniga P, Manfredi G, Danesino C, Schonewille WJ, Westermann CJ, Snijder RJ, Mager JJ, Post MC; Grade of pulmonary

right-to-left shunt on contrast echocardiography and cerebral complications: a striking association; Hematology Reports 2013; 5 (supp. 1): 33

Velthuis S, Buscarini E, van Gent MWF, Gazzaniga P, Manfredi G, Danesino C, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Pulmonary shunt grading on transthoracic contrast echocardiography predicts the indication for transcatheter embolotherapy of pulmonary arteriovenous malformations; Hematology Reports 2013; 5 (supp. 1): 677

Velthuis S, Vorselaars VMM, van Gent MWF, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Role of transthoracic contrast echocardiography in the clinical diagnosis of hereditary haemorrhagic telangiectasia; Hematology Reports 2013; 5 (supp. 1): 34

Velthuis S, Vorselaars VMM, van Gent MWF, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Diagnostic accuracy of the 100% oxygen method in detecting pulmonary right-to-left shunts compared to transthoracic echocardiography; Hematology Reports 2013; 5 (supp.1): 57

Vorselaars VMM, Velthuis S, Mager JJ, Snijder RJ, Bos WJ, Vos JA, van Strijen MJL, Post MC; Direct hemodynamic effect of pulmonary arteriovenous malformation embolization; Hematology Reports 2013; 5 (supp. 1): 60

Vorselaars VMM, Velthuis S, Mager JJ, Snijder RJ, Post MC; Follow-up of the pulmonary right-to-left shunt with transthoracic contrast echo-cardiography in hereditary haemorrhagic telangiectasia; Hematology Reports 2013; 5 (supp.1): 61-62

Vorselaars VMM, Velthuis S, Swaans MJ, Mager JJ, Snijder RJ, Rensing BWJM, Boersma LVA, Post MC; Left atrial appendix closure for stroke prevention in patients with atrial fibrillation and hereditary haemorrhagic telangiectasia; Hematology Reports 2013; 5 (supp.1): 29

Velthuis S, Buscarini E, van Gent MWF, Gazzaniga P, Manfredi G, Danesino C, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Pulmonary shunt grading on transthoracic contrast echocardiography predicts the indication for transcatheter embolotherapy of pulmonary arteriovenous malformations. European Heart Journal 2013; 34 (supp 1): 677

Velthuis S, Vorselaars VMM, Westermann CJJ, Snijder RJ, Mager JJ, Post MC; Diagnostic accuracy of the 100% oxygen method in detecting pulmonary right-to-left shunts compared to transthoracic echocardiography; European Heart Journal 2013; 34 (supp. 1): 49

2011 De Gussem EM, Snijder RJ, Westermann CJJ, Mager JJ; Brain abscesses in patients with hereditary haemorrhagic telangiectasia. Hematology Reports 2011; 3: 32

Lebrin F, Srun S, Bracquart D, Martin S, Le Naoures C, Arthur HM, Westermann CJJ, Disch F, Mager JJ, Snijder RJ, Eichmann A , Mummery CL; From mechanisms of

disease to therapeutic assays: new approaches to treatment of bleeding in HHT patients; Hematology Reports 2011; 3:7/12

Van der Meer F, Disch F, Snijder RJ, Westermann CJJ, Mager JJ; Bevacizumab nasal spray for frequent epistaxis in HHT; Hematology Reports 2011; 3: 22

Post MC, van Gent MWF, Westermann CJJ, Snijder RJ, Mager JJ; Grade of right-to-left shunt using contrast transthoracic echocardiography and the comparison with partial oxygen pressure in patients screened for hereditary haemorrhagic telangiectasia; Hematology Reports 2011; 3: 49

Van Gent MWF, Post MC, Snijder J, Westermann CJJ, Mager JJ; Diagnostic accuracy of transthoracic contrast echocardiography as a screening method for pulmonary arteriovenous malformations; European Heart Journal 2011; 32: 115-116

Van Gent MWF, Post MC, Velthuis S, Westermann CJJ, Mager JJ, Snijder RJ; Activin receptor-like kinase-1 and endoglin are not related with pulmonary hypertension in hereditary haemorrhagic telangiectasia. Hematology Reports 2011; 3: 13-14

Van Gent MWF, Snijder RJ, Westermann CJJ, Overtom T, Mager JJ, Post MC; Contrast transthoracic echocardiography in hereditary haemorrhagic telangiectasia: a 5-years follow-up study; Hematology Reports 2011; 3:15

Van Gent MWF, Snijder RJ, Westermann CJJ, Overtom TT, Mager JJ, Post MC; Diagnostic accuracy of transthoracic contrast echocardiography as a screening method for pulmonary arteriovenous malformations; Hematology Reports 2011; 3: 15

Velthuis S, van Gent MWF, Mager JJ, Westermann CJJ, Snijder RJ, Post MC; Grade of pulmonary right-to-left shunt on transthoracic contrast echocardiography and the prevalence of neurological complications in persons screened for hereditary haemorrhagic telangiectasia; European Journal of Echocardiography 2011; 12: abstract nr P726

Velthuis S, van Gent MWF, Post MC, Westermann CJJ, Mager JJ, Snijder RJ; Patients with endoglin or ALK-1 mutation do not display an increased prevalence of pulmonary arterial hypertension compared to controls. European Journal of Echocardiography 2011; 12: abstract nr P708

Velthuis S, Post MC, van Gent MWF, Mager JJ, Westermann CJJ, Snijder RJ; Partial oxygen pressure is no predictor for migraine with aura in patients screened for hereditary haemorrhagic telangiectasia; Hematology Reports 2011; 3: 48-49

Velthuis S, van Gent MWF, Mager JJ, Westermann CJJ, Snijder RJ, Post MC; Grade of pulmonary right-to-left shunt using contrast transthoracic echocardiography associated with neurological complications; Hematology Reports 2011; 3: 16

- 2010 Luermans JGLM, van Gent MWF, van Hemel NM, Westermann CJJ, Plokker HWT, Post MC; No indication for patent foramen ovale closure in migraine; Neth Heart J 2010.
- 2009 De Gussem EM, Edwards CP, Westermann CJJ, Faughnan ME, Mager JJ; Life expectancy of parents with hereditary haemorrhagic telangiectasia; Am J Resp & Crit Care Med 2009; 179: A4912
- Post MC, van Gent MWF, Plokker HWM, Westermann CJJ, Mager JJ, Schonewille WJ, Thijs V, Snijder RJ; Size of pulmonary right-to-left shunt predict migraine with aura; European Heart Journal 2009;30: 110
- 2008 Post MC, Gent MWF van, Swaans MJ, Jaarsma W, Plokker HWM, Snijder RJ, Overtoom TT, Mager JJ; Transthoracic contrast echo-cardiography grading to predict the presence of pulmonary arteriovenous malformations on chest CT; Eur J Echocardiography 2008;
- 2007 Post MC, Luermans JGLM, Snijder RJ, Mager JJ, Jaarsma W, Schonewille WJ, Thijs V, Westermann CJJ, Pulmonary arteriovenous malformations associated with migraine with aura; Eur Heart J 2007; 28(abstract suppl.): 56
- Post MC, Luermans JGLM, Snijder RJ, Mager JJ, Jaarsma W, Overtoom TT, Westermann CJJ; Screening for pulmonary arteriovenous malformations using transthoracic echography: a prospective study Eur Heart J 2007; 28(abstract suppl.): 56
- Post S, Smits A, Sluijter J, Hoefler I, Snijder R, Mager J, Westermann C, Pasterkamp G, Doevendans P, Goumans MJ.; A disturbed CXCR4/CD26 balance in endoglin deficient mononuclear cells results in impaired homing; VII International HHT scientific conference, Capri, Italy, 25-28 april 2007; Hematology Meeting Reports:22.
- Smits AM, Post S, Sluijter JPG, Hoefler IE, Snijder R, Mager J, Westermann C, Pasterkamp G, Doevendans PA, Goumans MJ. The impaired homing of mononuclear cells to ischemic regions in HHT-1 patients is due to a disturbed balance in CXCR4 and CD26 expression. European Heart Journal 2007;28:797.
- Van Laake LW, van den Driesche S, Post S, Mager JJ, Snijder RJ, Westerman CJJ, Doevendans PA, van Echteld CJA, ten Dijke P, Arthur HM, Goumans MJ, Lebrin F, Mummery CL. Endoglin has a crucial role in blood cell-mediated vascular repair. VII International HHT scientific conference, Capri, Italy, 25-28 april 2007; Hematology Meeting Reports 2007; 1.
- Bakker I, Disch F, Mager HJ, Snijder R, Tromp E and Westermann K. Quality of life and epistaxis in hht : effect of treatment. Hematology Meeting Reports 2007; 1:39.

Bevers N, Mager JJ, Balemans W and Westerman CJJ. Hereditary hemorrhagic telangiectasia in children: a single center study. Hematology Meeting Reports 2007; 1:31.

Letteboer TGW, Harradine KA, Quigli D, Westermann CJJ, Mager JJ, Ploos van Amstel JK, Snijder RJ, Lindhout D, Aouizerat BE and Akhur RJ. Genetic modification of the hereditary haemorrhagic telangiectasia phenotype. Hematology Meeting Reports 2007; 1(27):26.

Post MC, Luermans JGLM, Snijder RJ, Mager JJ, Jaarsma W, Overtoom TT and Westermann CJJ. Screening for pulmonary arteriovenous malformation using transthoracic echocardiography: a prospective study. European Heart Journal 2007; 28:56.

Post MC, Luermans JGLM, Snijder RJ, Mager JJ, Jaarsma W, Schonewille WJ, Thijs V and Westerman CJJ. Pulmonary arteriovenous malformations are associated with migraine with aura. European Heart Journal 2007; 28:56.

Post MC, Mager JJ, Jaarsma W, Schonewille WJ, Thijs V and Westerman CJJ. Pulmonary arteriovenous malformations associated with migraine with aura. Hematology Meeting Reports 2007; 1:33-34.

Post MC, Snijder RJ, Mager JJ, Luermans JGLM, Jaarsma W, Overtoom TT and Westerman CJJ. Migraine characteristics in patients with and without pulmonary arteriovenous malformations. Hematology Meeting Reports 2007; 1:5.